

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	47	hoyte-scott-\$.in. slates-richard-\$.in. clark-sherrie-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:15
L4	2	(pressure with oscillation) and sensor and digital and analog and transformer and (time same frequency same domain) and spectrum and (echo spike acoustic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:19
L5	2	(pressure with oscillation) and sensor and digital and analog and transformer and (time same frequency same domain) and (echo spike acoustic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:19
L9	5	pressure and (sensor sensing detector detecting transducing transducer)and ditigal and analog and transformer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:03
L10	10	diaphragm and (eddy with current with (sensor detector transducer)) and analog and digital and pressure and transformer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:29
L11	20	((("us-20020153880-") or ("5182513") or ("4924182") or ("4922201") or ("4853634") or ("4652822") or ("4467281") or ("4322683") or ("4303885")),PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 11:05
L12	0	L11 and (eddy with current with (transducer sensor detector)) and diaphragm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:05
L13	8	L11 and (eddy with current with (transducer sensor detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:06
L14	4	L11 and (eddy with current with (transducer sensor detector)) and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:06
L15	1	L11 and (eddy with current with (transducer sensor detector)) and impedance and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:07

L16	37	(eddy with current with (transducer sensor detector)) and impedance and pressure and diaphragm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:07
L17	18	(eddy with current with (transducer sensor detector)) and impedance and pressure and diaphragm and analog and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:08
L18	14	(eddy with current with (transducer sensor detector)) and impedance and pressure and diaphragm and analog and digital and converter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:11
L19	1	(eddy with current with (transducer sensor detector)) and impedance and pressure and diaphragm and analog and digital and converter and (gas with turbine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:09
L20	13	(eddy with current with (transducer sensor detector)) and impedance and pressure and diaphragm and analog and digital and converter and fourier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 11:11
L26	319	702/50.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 14:04
L28	375	(73/861.02,861.03).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 14:23
S1	46	hoyte-scott-\$.in. slates-richard-\$.in. clark-sherrie-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:45
S2	30079	general with electric with company\$.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:45
S3	233	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:47

S4	46	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:48
S5	30	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain) and pressure and (static dynamic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:51
S6	17	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain) and pressure and (static dynamic) and fourier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:51
S7	13	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain) and pressure and (static dynamic) and fourier and converter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:51
S8	12	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain) and pressure and (static dynamic) and fourier and converter and amplitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:01
S9	9	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain) and pressure and (static dynamic) and fourier and converter and amplitude and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S10	5	(S2 S1) and (sensor transducer detector) and (analog digital) and (signal data) and ((frequency time) with domain) and pressure and (static dynamic) and fourier and converter and amplitude and threshold and (spike echo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:59
S13	68	(S2 S1) and (signal with pressure with chamber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:02
S14	38	(S2 S1) and (signal with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:03

S15	27	(S2 S1) and ((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:05
S16	7	(S2 S1) and ((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure) and ((digital digitiz\$3) with (signal data input))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:27
S18	2	((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure) and ((digital digitiz\$3) with (signal data input)) and (transform\$3 with digit\$5 with time with frequenc\$3 with domain with spectrum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:22
S19	2	((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure) and ((digital digitiz\$3) with (signal data input)) and (transform\$3 same digit\$5 same time same frequenc\$3 same domain same spectrum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:24
S20	1078	((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure) and ((digital digitiz\$3) with (signal data input))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:25

S22	4	((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure) and ((digital digitiz\$3) with (signal data input)) and (transform\$3 same digit\$5 same time same frequenc\$3 same domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:28
S23	75	((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure) and ((digital digitiz\$3) with (signal data input)) and transformer and digital and analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:29
S24	42	((signal data input) with pressure with chamber) and ((sensing sensor detecting detector transducing transducer) with pressure with chamber) and ((generating generate producing produce calculat\$3 measur\$3) with (signal data input) with pressure) and ((digital digitiz\$3) with (signal data input)) and transformer and digital and analog and converter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:30
S26	10029	(gas with turbine) and (pressure with chamber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:32
S27	687	(gas with turbine) and (pressure with chamber) and ((sensor transducer detector sensing) with pressure with chamber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:33
S28	100	(gas with turbine) and (pressure with chamber) and ((sensor transducer detector sensing) with pressure with chamber) and (analog same digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:34
S29	10	(gas with turbine) and (pressure with chamber) and ((sensor transducer detector sensing) with pressure with chamber) and (analog same digital) and fourier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:45

S30	2	us-20050114071-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 08:11
S31	20	((("us-20020153880-\$") or ("5182513") or ("4924182") or ("4922201") or ("4853634") or ("4652822") or ("4467281") or ("4322683") or ("4303885")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 11:04
S34	6	"4248093".pn. "4829813".pn. "5544478".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 08:46
S45	2	S34 and (pressure with chamber) and (sensor detector transducer sensing) and digital and fourier and analyzer and spectrum and turbine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 08:55
S47	2	"5544478".pn. and (signal same pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:58
S50	10	(gas with turbine) and (pressure with chamber) and ((sensor transducer detector sensing) with pressure with chamber) and (analog same digital) and fourier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:59
S51	5	S50 and (oscillation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:59
S52	5	S50 and (oscillation) and diaphragm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 15:19
S53	1	S50 and (oscillation) and diaphragm and eddy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 11:00

S54	50	("4824449" "6030921" "5441051" "5649538" "5932812" "4512387" "4851677" "4866274" "6151554" "4496904" "4362048" "4463825" "4502006" "5525900" "5721379" "5914593" "4253166" "4258591" "4374421" "4422057" "4425589" "4905238" "5224484" "5569888" "5665916" "5738102" "5939940" "6145376" "6189765" "6196932" "6234019" "6312393" "6342389" "6444192" "6461586" "6714000" "5239266" "5202632" "5442290" "4285242" "4397186" "4470448" "4794336" "4821245" "4865041" "4887465" "4978333" "4986124" "5202681" "5241280").pn.	USPAT	OR	ON	2005/08/01 15:19
S57	2	S54 and (gas with turbine) and (sensor transducer detector)	USPAT	OR	ON	2005/08/01 15:23
S60	443	(gas with turbine) and (sensor transducer detector) and (humming echo acoustic)	USPAT	OR	ON	2005/08/01 15:23
S61	88	(gas with turbine) and (sensor transducer detector) and (humming echo acoustic) and diaphragm	USPAT	OR	ON	2005/08/01 15:23
S62	6	(gas with turbine) and (sensor transducer detector) and (humming echo acoustic) and diaphragm and (eddy with current)	USPAT	OR	ON	2005/08/01 15:24
S63	5	(gas with turbine) and (sensor transducer detector) and (humming echo acoustic) and diaphragm and (eddy with current) and (analog with digital with converter)	USPAT	OR	ON	2005/08/01 15:24
S64	5	(gas with turbine) and (sensor transducer detector) and (humming echo acoustic) and diaphragm and (eddy with current) and (analog with digital with converter) and impedance	USPAT	OR	ON	2005/08/01 15:25
S68	4	("4735052" "5049063" "5093576" "5257496").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/02 09:19
S69	47	hoyte-scott-\$.in. slates-richard-\$.in. clark-sherrie-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:23

S73	31	pressure and (sensor sensing detector detecting transducing transducer)and ditigal and analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 16:30
-----	----	---	---	----	----	------------------